

Crop Packaging Products



ROLLATEX PRO



ROLLATEX PRO increases the performance of all makes and models of round baler. The Bale+™ technology is able to achieve both length and strength within a workable roll weight. The 4500m roll- means 50% more net on every roll than 'standard' 3000m netwrap, giving more output from the fully loaded baler and less down time to re-load. It also means fewer rolls required for the same bale count, which cuts down waste packaging from your season's baling.

ROLLATEX PRO Netwrap is manufactured using the special CLAAS COVERED™ technology. This guarantees full bale coverage – and produces the perfect bale, every time.



Roll length	Width	Weight	Roll diameter	Rolls/pallet
3800m	123cm	38.5kg	27cm	28
4500m	123cm	42kg	29cm	28

Features & Benefits



ZEBRA® System

ROLLATEX PRO features the unique Zebra® system roll pattern. The asymmetrical striping pattern across the width of the net, gives the operator a very clear 'left-right' indicator when loading the roll. The ZEBRA System also indicates which way to unroll the bale when feeding or bedding by clearly showing the asymmetrical pattern on the bale.

Roll Carry Handles

Every roll of ROLLATEX PRO is fitted with purpose carrying handles, to assist the operator in handling and carrying the roll.

Roll End Warning Stripe

Every roll of ROLLATEX PRO contains a visible Roll End warning stripe, which appears the end of the roll is approaching. This red marking shows as the last 70 meters of the net is reached, allowing the operator to prepare for a roll change and avoid baling without net in the baler, thus further reducing wasted "down time".

Guaranteed Minimum Length

Every roll contains the guaranteed stated length, not a "plus-or-minus" average.

EnterNet feature - A special pre-fitted tag holds the beginning of the net and helps thread the net through the baler.



Technologies



CLAAS COVERED™

CLAAS COVERED™ technology enables the net to maintain its width when feeding onto the bale, and cover the entire width of the bale. This unique ability gives the maximum protection to the crop as well as helping to maintain the bale's shape, reducing crop loss when handling and making storage easier.

Bale+ Technology

A development that combines a special mix of advanced raw material with a unique manufacturing process, providing the unique combination of:

- Maximum available roll length – for maximum baler utilisation (50% longer length than a standard 3000m roll).
- Net strength – for maximum performance in the toughest crop.
- Roll weight – the ONLY technology able to achieve both roll length and netwrap strength within a workable roll weight.
- Roll consistency – a uniform and consistent netwrap for continuous trouble-free operation.

ROLLATEX CLASSIC



- An economical alternative to premium product in all round balers
- Guaranteed 3,000m roll length
- Pure white colour
- Red End Warning
- Practical carry handles



Roll Length	Width	Weight	Roll Diameter	Rolls/Pallet
3000m	123cm	38kg	25cm	36

QUADOTEX twine

For QUADRANT balers



Our line of **QUADOTEX** twine offers the strength, reliability and consistency required for high-end baling. Specially designed to work with our new generation of high-density QUADRANT large-square balers, QUADOTEX twine maintains exceptional knot tightness and performance. QUADOTEX twine is packaged in 11.5kg spools to provide a sufficient quantity of twine for long and productive days throughout the baling season. From extremely strong twine that handles the most extreme conditions to sturdy twine that offers maximum cost effectiveness, our QUADOTEX line is the best solution for high-end baling.

- Maximum knot tightness to ensure top-notch reliable and consistent performance
- Improved protection to minimize degradation from harmful UV radiation
- Giant spool size to reduce twine replacement frequency and maximize baler utilization



Type	Spool Weight	Spool Length	Colour	Spools/Pallet
QUADOTEX 3400	11.5kg	1170m	Light Green	80
QUADOTEX 3200 XL	11.5kg	1380m	White	80

BALETEX twine For QUADRANT balers



Our versatile, flexible and reliable line of **BALETEX** twine for QUADRANT balers is designed to meet virtually all baling requirements. Suitable for a wide range of balers. BALETEX 130 XL, is a cost-effective solution offering the best combination of strength and length. Packaged in spools of 1400m and packs of 2800m, BALETEX 130 XL provides 35% more twine than Type 130, while offering the same level of resistance and performance. Compatible with every large-square baler, BALETEX 130 XL reduces the number of packs required and increases the amount of baled crop per spool.

- Full compatibility with all balers to offer versatility
- Wide coverage of baling conditions to provide flexibility
- Outstanding knotting strength to ensure reliability



Type	Pack Weight	Pack Length	Colour	Packs Pallet
BALETEX 130	18kg	2070m	White	56
BALETEX 130 XL	20kg	2800m	White	56
BALETEX 130 XL Long	19.4kg	3000m	Rust	48

WRAPEX Stretch film



WRAPEX represents top quality, in terms of both the product itself and also the advice and technical support available. We offer an exceptionally broad portfolio of products, as one of the few providers to deliver a wide and varied range of stretch film solutions for farmers and contractors. **CLAAS ORIGINAL** stretch film is manufactured on Europe's most modern extruders, using production processes ensuring a high-end quality product:

- Superior raw materials for consistent quality
- Excellent stretching properties and elasticity
- Outstanding adhesion strength
- High tear strength
- Versatile application
- High UV stability
- Unique layer sealing
- All rolls of stretch film have an identification number for easy tracking

WRAPEX



WRAPEX stretch film is defined by its highest quality standards and enables the production of high quality silage. WRAPEX stretch film is manufactured at Europe's most advanced plastic extrusion facilities, in specialized processes which ensure manufacture of the highest quality products. Also, with the provision of technical advice and support, WRAPEX is more than just a product.

- Multi-layer blown film with optimal stretching and adhesive properties
- Optimally suited to round and square bale wrappers
- High UV protection and weather-resistant
- Guarantees high quality silage, thanks to low air permeability



Type	Dimensions	Colour	Rolls/Pallet
WRAPEX	750 mm x 1500 m x 25 µ	Green / Black	40

WRAPEX CLASSIC XL



WRAPEX CLASSIC XL is the new generation of stretch film that combines quality with cost and time savings as a five-layer co-polymer film.

- Cost savings with 10% greater length per roll (1,650 m)
- More bales wrapped from a single roll (2–3 additional bales)
- Reduced downtime, thanks to fewer roll changes
- Pre-stretchable by up to 70%
- Optimal layer sealing gives extremely smooth placement on bale



Type	Dimensions	Colour	Rolls/pallet
WRAPEX CLASSIC XL	750 mm x 1650 m x 22 µ	Green / Black	40

COATEX



With the **ROLLANT UNIWRAP 454/455**, the production of bale silage without the use of a round bale net is optionally possible.

COATEX is the new solution!

- Improvement of the oxygen barrier through additional film layers on the bale
- Optimum preservation due to reduced air entrapment
- Easy opening of the bales as only one packaging material is used
- Uniform packaging material enables joint disposal of film & net
- Greater film stability on the outer surface for better mechanical protection during storage and transport
- Cylindrical shape for better and longer stacking of bales
Improved edge protection thanks to 1,400mm wide film roll (also available in 1,280 mm width)
- No danger for the animals by adhering net remainders at the feed



Type	Dimensions	Colour	Rolls/Pallet
COATEX	1400 mm x 2000 m x 17 μ	White	40
COATEX	1400 mm x 1750 m x 20 μ	White	40
COATEX	1280 mm x 2200 m x 17 μ	White	40



Product range may vary from country to country.
Please ask your local CLAAS dealer for more information.

Dealer: