

YOU BALE. WE CARE.

CROP BALING PRODUCTS



You bale

Choose New Holland to make baling as simple as possible. We understand that baling is one of many jobs and you want it to go smoothly every time. Our engineers meticulously develop balers and collaborate closely with crop baling specialists Tama. Together we apply the latest technology to give you stress free baling and crop storage.



Bale longer
Fewer changeovers
Less machine downtime

We care

We developed our latest range of Netwraps and Twines so you can bale better. You get more of what you need and less of what you don't.



Efficient
Reliable
Usable yield



Waste
Stoppages
Impact on emissions



We care for the baling cycle

Our products help farmers bale efficiently with less waste. We do the same during production. Here's how we make sure baling has a positive impact on the planet:

-  **Zero waste during production**
-  **Save up to 570kg twine per 10,000 bales**
-  **Smart design maximizes bale strength with less plastic**
-  **Guaranteed plastic reduction of 218 kg compared to standard 3600m Netwrap (5000 bales, 1.7 diameter, 3 wraps)**
-  **We are providing environmental alternatives by offering crop baling products with 30% recycled material (limited availability)**

Aiming for closed loop baling

Farmers know all about closing the loop. They recycle nutrients and organic matter through the soil to grow crops year-after-year. We can now do the same with crop baling products.

Shake

After you have opened the bales, we need your help to shake out the Netwrap or Twine to reduce any remaining straw and hay soilage, the first step towards recycling these materials

Recycle


The collected materials are transferred to the recycling factory, for cleaning and processing into new raw materials

Collect

We cooperate with collection companies across Europe that collect the used products

Reuse

These materials can now be used in new products, closing the baling loop time after time



You bale with Netwrap

Premier Infinet+ makes round baling easy. It is designed for efficient baling and makes stronger bales which keep your harvest safe. Infinet+ comes in packaging made from PCR materials.

FEATURES & BENEFITS



Edge-to-Edge™ technology ensures the Netwrap covers the entire width of the bale for better protection, transport and storage



Bale+ Technology enables to achieve both roll length and Netwrap strength within a workable roll weight, allowing a continuous and non-stop baling operation



Guaranteed minimum roll length for maximum bales per roll




Zebra® marking system indicates the running direction of the roll. This makes roll changes easy

Consistent quality – works the same every time

NEW HOLLAND NETWRAP PRODUCT SPECIFICATIONS

Product name	Premier Infinet+	Premier Infinet+
Roll length	3,800 m	4,500 m
Roll width	123 cm	123 cm
Colour	Blue-White	Blue-White
Featured technologies	Bale+	Bale+
Pallet dimensions	125 x 110 cm	125 x 112 cm
Rolls per pallet	28	28
Pallet height	± 200 cm	± 209 cm



You bale with Twine

Invent twine secures large square bales in any conditions. During development, we pay close attention to how the twine behaves in the machine to make sure it runs and knots properly without fail. Invent delivers maximum strength with minimum plastic.

FEATURES & BENEFITS



Available in four length/strength combinations for any baler and any job



Longer spools mean fewer stoppages and less retying
Guaranteed spool length with consistent twine quality from the first to the last meter



Excellent knot integrity with no slippage

NEW HOLLAND BALER TWINE PRODUCT SPECIFICATIONS

Product name	Spool Length	Pack Length	Packs / Pallet	Spools / Pallet
New Holland HD Extra	1,300 m	2,600 m	40	80
New Holland INVENT Power	1,400 m	2,800 m	48	96
New Holland INVENT Long	1,500 m	3,000 m	48	96
New Holland INVENT Max	1,600 m	3,200 m	56	112

Baler Type	Bale Width	Bale Height	No. of knotters	Knotter Type	FORAGE		STRAW	
					Standard	Extreme	Standard	Extreme
9040	80	47	4	Single	Blue	Green	Green	Green
870 Plus	80	70	4	Double	Green	Orange	Orange	Orange
890 Plus	80	90	4	Double	Green	Orange	Orange	Orange
9090 Plus	120	130	6	Double	Green	Orange	Orange	Red
1270 Plus	120	70	6	Double	Orange	Orange	Orange	Red
1290 Plus	120	90	6	Double	Orange	Red	Red	*
1290 HD	120	90	6	Double	*	*	*	*

*Recommended twine is NH Supreme HD


INTERNATIONAL BALER TWINE SEGMENTATION

VERY HIGH	<p>2600m per pack</p> <p>New Holland HD Extra</p> <p>For High Density balers. Use in conditions of extreme density or high temperatures for short straw and corn stalks.</p>	
HIGH	<p>2800m per pack</p> <p>New Holland Invent Power</p> <p>Use where high density is required. Suitable for silage and for high density hay and straw bales.</p>	
STANDARD	<p>3000m per pack</p> <p>New Holland Invent Long</p> <p>A longer option for standard density hay, straw or silage bales.</p>	
LOW	<p>3200m per pack</p> <p>New Holland Invent Max</p> <p>Maximum length for use in all crops and balers where a high density is not needed.</p>	



Choose the right twine with the International Baler Twine Segmentation





Dealer